

SERIE VT - P

CAUDAL

m3/h	0	1,0	2,0	3,0	4,0
l/min	0	16,6	33,3	50,0	66,6

MODELO	HP	ALTURA DE CARGA EN METROS				
<u>VT-254P</u>	1,0	48	45	35	26	11
<u>VT-255P</u>	1,5	59	57	44	33	15
<u>VT-256P</u>	1,5	69	65	52	37	18
<u>VT-257P</u>	1,5	82	75	62	45	25
<u>VT-258P</u>	2,0	94	87	72	52	28
<u>VT-259P</u>	2,0	105	98	82	60	35
<u>VT-2511P</u>	2,5	130,0	119	98,0	69	37,0
<u>VT-2513P</u>	3,0	153,0	142,0	115,0	80,0	39,0

m3/h	0,0	1,0	2,0	3,0	4,0	5,0	6,0
l/min	0	16,6	33,3	50,0	66,6	83,3	100

MODELO	HP	ALTURA DE CARGA EN METROS						
<u>VT-304P</u>	1,5	47	46	45	41	36	28	20
<u>VT-306</u>	2,0	74	72	69	66	57	47	36
<u>VT-308P</u>	3,0	98	95	92	86	76	63	47
<u>VT-3010P</u>	3,0	116	114	110	102	90	73	57
<u>VT-3012P</u>	4,0	145	142	140	131	115	97	75

m3/h	0	2,0	4,0	5,0	6,0	8,0	10,0	14,0
l/min	0	33,3	66,6	83,3	100,0	133,3	166,6	233,3

MODELO	HP	ALTURA DE CARGA EN METROS							
<u>VT-354P</u>	2,0	40	39	38	37	36	34	29	20
<u>VT-356P</u>	3,0	58	56	53	52	51	46	41	26
<u>VT-358P</u>	4,0	81	79	76	74	72	65	58	36

m3/h	0	2,0	3,0	4,5	6,0	7,5	9,0	10,5
l/min	0	33,3	50,0	75,0	100,0	125,0	150,0	175,0

MODELO	HP	ALTURA DE CARGA EN METROS							
<u>VT-354P-A</u>	2,0	52,0	49,0	47,0	44,0	39,0	32,0	25,0	14,0
<u>VT-355P-A</u>	2,5	64,0	60,0	58,0	54,0	47,0	38,0	28,0	16,0
<u>VT-356P-A</u>	3,0	76,0	71,0	68,0	63,0	56,0	45,0	34,0	20,0
<u>VT-358P-A</u>	4,0	103,0	97,0	95,0	90,0	80,0	66,0	50,0	31,0
<u>VT-3510P-A</u>	5,5	130,0	124,0	121,0	114,0	103,0	86,0	66,0	41,0

m3/h	0	6,0	8,0	10,0	12,0	14,0	16,0	18,0
l/min	0	100,0	133,3	166,7	200,0	233,3	266,7	300,0

MODELO	HP	ALTURA DE CARGA EN METROS							
<u>VT-474P-A</u>	5,5	75	70	67	64	60	53	43	-
<u>VT-475P-A</u>	7,5	93	84	81	77	72	64	55	-
<u>VT-476P-A</u>	7,5	113	104	100	96	87	78	68	-

<u>VT-477P-A</u>	10,0	132	120	116	112	103	93	80	-
<u>VT-478P-A</u>	10,0	150	139	134	127	120	108	92	-

m3/h	0	6,0	8,0	10,0	12,0	14,0	16,0	18,0
l/min	0	100	133	166	200	233	266	300

MODELO	HP	ALTURA DE CARGA EN METROS							
<u>VT-454P</u>	2,0	41	38	36	33	30	25	19	12
<u>VT-455P</u>	3,0	52	48	46	43	38	32	24	15
<u>VT-456P</u>	4,0	62	58	55	51	45	38	28	17

m3/h	0	6	8	12	14	18	20	22
l/min	0	100	133	200	233	300	333	367

MODELO	HP	ALTURA DE CARGA EN METROS							
<u>VT-554P</u>	3,0	44	41	40	35	32	22	16	8
<u>VT-556P</u>	4,0	64	61	60	52	48	32	22	12
<u>VT-557P</u>	5,5	73	68	64	56	50	35	26	14
<u>VT-558P</u>	6,5	84	76	73	62	56	40	29	16

m3/h	0	2	4	5	6	7	8	10
l/min	0	33	67	83	100	117	133	167

MODELO	HP	ALTURA DE CARGA EN METROS							
VT-354I	2,0	55	52	45	42	36	32	27	15
VT-355I	2,0	66	63	55	52	46	40	34	18
VT-356I	3,0	88	80	71	66	60	53	45	27
VT-358I	4,0	110	105	97	87	84	75	59	41
VT-3510I	5,5	137	130	119	114	105	95	84	55

m3/h	0	4	6	7	10	13	16	18
l/min	0	67	100	117	167	217	267	300

MODELO	HP	ALTURA DE CARGA EN METROS							
VT-554I	3,0	54	48	45	43	37	29	19	9,5
VT-556I	4,0	83	75	71	68	59	49	33	21
VT-557I	5,5	100	90	86	83	73	58	42	30

mal metros